

PLATEAU MINING CORPORATION

Willow Creek Mine
PO Box 30
847 NW Hwy 191
Helper, Utah 84526
(435) 472-0475
Fax: (435) 472-4782

An affiliate of



December 19, 2003

RECEIVED
DEC 22 2003
DIV OF OIL, GAS & MINING

INCOMING
C0070038
E-mail Dana D.

Mr. Michael Herkimer
State of Utah
Department of Environmental Quality
Division of Water Quality
P.O. Box 144870
Salt Lake City, Utah 84114-4870

Re: UPDES Report, November 2003 - Permit No. UTG040012

Dear Mr. Herkimer:

Discharge Monitoring Reports are enclosed. The potential to discharge from the permitted outfalls 014 and 015 no longer exist. If you have any questions, please do not hesitate to contact me at (435) 472-4741.

Sincerely,

A handwritten signature in black ink, appearing to read 'JP' or 'Johnny Pappas', written over a horizontal line.

Johnny Pappas
Sr. Environmental Engineer

Enclosures

cc: UDOGM

File: Env: 2.5.2.1.2.1
Chrono: JP031203.ltr

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if different))

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

FACILITY PLATEAU MINING CORP

LOCATION HELPER

ATTN: JOHNNY PAPPAS

UT 84526

UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040012

PERMIT NUMBER

SUM A

DISCHARGE NUMBER

MINOR

F - FINAL

SUM OF ALL OUTFALLS

MONITORING PERIOD

YEAR	MO	DAY	YEAR	MO	DAY
03	11	01	03	11	30

FROM

TO

*** NO DISCHARGE ☒ ***

NOTE: Read instructions before completing this form.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****	*****				
	PERMIT REQUIREMENT	*****	2000	DAILY MAX LBS/DY	*****	*****	*****	*****		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas
Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472-4741

03 12 18

AREA CODE NUMBER

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER N.A. FOR SUM A.

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT			(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	****		INCE/ MONTH	MEASRE
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.5 MINIMUM	*****	9.0 MAXIMUM	SU		INCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****					(19)			
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		INCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.5 DAILY MX	ML/L		INCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	10 DAILY MX	MG/L		INCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	1.0 DAILY MX	MG/L		INCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****		YES=1 NO=0	*****	*****	*****	****		INCE/ MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johnny Pappas Sr. Env. Engineer TYPED OR PRINTED							435 472-4741		03 12 18		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE NUMBER		YEAR MO DAY		
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. 00073/030702-1009 This is a 4-part form. PAGE 1 OF 1											

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMNT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0 YES=1 NO=0		*****	*****	*****	****		INCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****		*****		*****	(19)			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30DA AVG	*****	MG/L		INCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johnny Pappas Sr. Env. Engineer TYPED OR PRINTED							435 472-4741		03 12 18		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE NUMBER		YEAR MO DAY		
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. 00074/030702-1009 This is a 4-part form. PAGE 2 OF 2											

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT			(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	****		ONCE/ MONTH	MEASUREMENT
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.5 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****					(19)			
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	25 30DA AVG	35 MX 7D AT	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)			
00545 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	YES=1 NO=0	*****	*****	*****	****		ONCE/ MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Johny Pappas Sr. Env. Engineer								435 472-4741		03 12 18	
TYPED OR PRINTED						AREA CODE NUMBER		YEAR MO DAY			
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1											

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	YES=1 NO=0	*****	*****	*****	****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****		*****		*****	(19)			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30DA AVG	*****	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Johny Pappas Sr. Env. Engineer								435 472-4741		03 12 18	
TYPED OR PRINTED						AREA CODE NUMBER		YEAR MO DAY			
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2											

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT			(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	****		ONCE/ MONTH	WEASHI
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	6.5 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****					(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)			
00545 Q 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0 YES=1 DAILY MX NO=0		*****	*****	*****	****		ONCE/ MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johny Pappas Sr. Env. Engineer							435 472-4741		03 12 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

00313/0310/02-1009 This is a 4-part form. PAGE 0F 1

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMNT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0 YES=1 DAILY MX NO=0		*****	*****	*****	****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****		*****		*****	(19)			
70295 H 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30DA AVG	*****	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johny Pappas Sr. Env. Engineer							435 472-4741		03 12 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

00314/0310/02-1009 This is a 4-part form. PAGE 0F 2

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT			(07)							
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT JODA AVG	REPORT DAILY MX	GPD						ONCE/ MONTH	MEASURE
PH	SAMPLE MEASUREMENT							(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 JODA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT							(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			(94)							
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT		0 YES=1 DAILY MX NO=0							ONCE/ MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johnny Pappas Sr. Env. Engineer							435 472-4741		03 12 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. 00433/030702-1009 This is a 4-part form. PAGE 1 OF 1

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMNT	SAMPLE MEASUREMENT			(94)							
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT		0 YES=1 DAILY MX NO=0							ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT							(19)			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT					REPORT JODA AVG		MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.					TELEPHONE		DATE		
Johnny Pappas Sr. Env. Engineer							435 472-4741		03 12 18		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. 00434/030702-1009 This is a 4-part form. PAGE 2 OF 2

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
UTG040012
PERMIT NUMBER
013 A
DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 03 11 01 TO 03 11 30

MINOR
F - FINAL
SED POND DISCHARGE TO PRICE RIV
*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER

QUANTITY OR LOADING

QUALITY OR CONCENTRATION

NO. EX

FREQUENCY OF ANALYSIS

SAMPLE TYPE

FLOW RATE

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

PH

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

SOLIDS, TOTAL SUSPENDED

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SEE COMMENTS BELOW

SOLIDS, SETTLEABLE

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SEE COMMENTS BELOW

OIL & GREASE

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

IRON, TOTAL (AS FE)

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

FLOATING SOLIDS OR VISIBLE FOAM-VISUAL

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johny Pappas
Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472-4741

03 12 18

COMMENTS AND EXplanation OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS THE FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

This is a 4-part form. PAGE 1 OF 1

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
UTG040012
PERMIT NUMBER
013 A
DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 03 11 01 TO 03 11 30

MINOR
F - FINAL
SED POND DISCHARGE TO PRICE RIV
*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER

QUANTITY OR LOADING

QUALITY OR CONCENTRATION

NO. EX

FREQUENCY OF ANALYSIS

SAMPLE TYPE

SANITARY WASTE DISCHARGED-ASSESSMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

EFFLUENT GROSS VALUE

SOLIDS, TOTAL DISSOLVED

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SEE COMMENTS BELOW

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

SAMPLE MEASUREMENT

PERMIT REQUIREMENT

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johny Pappas
Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

03 12 18

COMMENTS AND EXplanation OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS THE FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

This is a 4-part form. PAGE 2 OF 2

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040012
PERMIT NUMBER

014 A
DISCHARGE NUMBER

MINOR
F - FINAL
SED POND TO CRANDALL CANYON
*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

MONITORING PERIOD
FROM 03 11 01 TO 03 11 30

00056 1 0 0
EFFLUENT GROSS VALUE
PH
00400 1 0 0
EFFLUENT GROSS VALUE
SOLIDS, TOTAL SUSPENDED
00530 P 0 0
SEE COMMENTS BELOW
SOLIDS, SETTLEABLE
00545 0 0 0
SEE COMMENTS BELOW
OIL & GREASE
00556 1 0 0
EFFLUENT GROSS VALUE
IRON, TOTAL (AS FE)
01045 1 0 0
EFFLUENT GROSS VALUE
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL
45613 1 0 0
EFFLUENT GROSS VALUE

PARAMETER

QUANTITY OR LOADING
AVERAGE
MAXIMUM
UNITS

QUALITY OR CONCENTRATION
MINIMUM
AVERAGE
MAXIMUM
UNITS

NO. EX

FREQUENCY OF ANALYSIS

SAMPLE TYPE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
435 472-4741

DATE
03 12 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

1

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040012
PERMIT NUMBER

014 A
DISCHARGE NUMBER

MINOR
F - FINAL
SED POND TO CRANDALL CANYON
*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

MONITORING PERIOD
FROM 03 11 01 TO 03 11 30

00056 1 0 0
EFFLUENT GROSS VALUE
PH
00400 1 0 0
EFFLUENT GROSS VALUE
SOLIDS, TOTAL SUSPENDED
00530 P 0 0
SEE COMMENTS BELOW
SOLIDS, SETTLEABLE
00545 0 0 0
SEE COMMENTS BELOW
OIL & GREASE
00556 1 0 0
EFFLUENT GROSS VALUE
IRON, TOTAL (AS FE)
01045 1 0 0
EFFLUENT GROSS VALUE
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL
45613 1 0 0
EFFLUENT GROSS VALUE

PARAMETER

QUANTITY OR LOADING
AVERAGE
MAXIMUM
UNITS

QUALITY OR CONCENTRATION
MINIMUM
AVERAGE
MAXIMUM
UNITS

NO. EX

FREQUENCY OF ANALYSIS

SAMPLE TYPE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
435 472-4741

DATE
03 12 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

2

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	SAMPLE MEASUREMENT			(07)							
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	300A AVG DAILY MX GPD						ONCE/ MONTH	MEASUREMENT
PH	SAMPLE MEASUREMENT							(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	MINIMUM MAXIMUM SU						ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							(19)			
00530 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	REPORT	REPORT	25 35 70 300A AVG DAILY MX MG/L						ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	REPORT	REPORT	0.5 DAILY MX ML/L						ONCE/ MONTH	GRAB
OIL & GREASE	SAMPLE MEASUREMENT							(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	10 DAILY MX MG/L						ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	1.0 DAILY MX MG/L						ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			(94)							
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	YES=1 NO=0						ONCE/ MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
Johny Pappas Sr. Env. Engineer						435 472-4741		03 12 18			
TYPED OR PRINTED						AREA CODE NUMBER		YEAR MO DAY			
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.											

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT			(94)							
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	YES=1 NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT							(19)			
70295 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	REPORT	REPORT	300A AVG						ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TELEPHONE		DATE			
Johny Pappas Sr. Env. Engineer						435 472-4741		03 12 18			
TYPED OR PRINTED						AREA CODE NUMBER		YEAR MO DAY			
COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)											
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.											
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.											